_	_
C	
Č	O

SMALL QUANTITY GENERATOR INSPECTION CHECKLIST

FOR FACILITIES	STHAT GENERATE/AC	CUMULATE < 1000 Kg (2,20	00 lbs	s. or approxim	nately 5	drums and <	2.2 lbs of acutely	hazardous waste)
NAME		<u> </u>		DATE			EPA ID NUMBER	Í
ADDRESS				RR NUMBER			MO ID NUMBER	
ABBILLOO				THENOMBER			WO ID NOMBER	
		Lacumi						
CITY		COUNTY		ZIP CODE		YEARS AT SITE	TELEPHONE NUMBI	EH.
DATE(S) OF LAST INSP	ECTION(S)			NUMBER OF EMPLOYEES				
FACILITY REPRESENTA	TIVE(S), TITLE(S)						L	
CHECKLIST AT								
	, RESOURCE RECOVERY, AND TA	NK ATTACHMENT		ERSAL WASTE AT		IT.		
☐ YES ☐ N			ΙШ '	YES 🗌 N	10			
DESCRIPTION (OF THE FACILITY'S OP	ERATIONS AND PLANT						
WASTE STREAM	MS							
		TE STREAM GENERATED			GENE	RATION	EPA WASTE	DISPOSITION
	(INCLUDING THE PF	RODUCTION PROCESS)			R	ATE	CODES	DISFOSITION
	•	· · · · · · · · · · · · · · · · · · ·						
1.								
2.								
3.								
4.								
5.								

A GE	NERAL			COMMENTS
	Registered as a hazardous waste generator - Section 260.380.1 (1)		000	OSMINIENTO
	RSMo and 10 CSR 25-5.262(2)(A).	1	GGR	
2. 🗆	Facility determines if waste is hazardous - 10 CSR 25-5.262(1) incorporating 40 CFR 262.11.	1	GGR	
3. 🗆	Uses a licensed hazardous waste transporter - Section 260.380.1(5) RSMo.	1	GGR	
4. 🗆	Uses authorized hazardous waste TSD or RR facility - Section 260.380.1(7) RSMo.	1	GGR	
5. 🗆	Does not operate as a TSD - Section 260.390.1(1) RSMo.	1	GGR	
6. 🗆	Facility has updated notification as required - 10 CSR 25-5.262(2)3.B.	2	GGR	
7. 🗆	Materials are not accumulated speculatively - 10 CSR 25-4.261 incorporating 40 CFR 261.1(c)(8).	2	GGR	
8. 🗆	Facility can demonstrate legitimate recycling - 10 CSR 25-4.261 incorporating 40 CFR 261.2(f).	2	GGR	
	PART 1: WALK-THROU	GH IN	SPEC	TION
B. PF	ETRANSPORT, CONTAINERIZATION & STORAGE			COMMENTS
1. 🗆		1	GPT	
2. 🗆	Containers in good condition - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.171.	1	GPT	
3. 🗆	Waste compatible with container - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.172.	1	GPT	
4. 🗆	Containers closed in storage - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.173(a).	1	GPT	
5. 🗆	Containers storing incompatible waste separated or protected from each other by a dike, berm or wall - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.177(c).	1	GPT	
6. 🗆	Containers of ignitable or reactive waste stored > 50 ft. from property line (or meet requirements) - 10 CSR 25-5.262(2)(C)6 referencing 40 CFR 265.176 as amended by 10 CSR 25-7.265(2)(I) 7 & 8.	2	GOR	
7. 🗆	Waste packaged/labeled/marked per DOT during entire on-site storage period - 10 CSR 25-5.262(2)(C)1.	2	GOR	
8. 🗆	Date of accumulation marked on containers - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 262.34(a)(2).	2	GPT	
9. 🗆	Containers protected from contact with accumulated liquids - 10 CSR 25-5.262(2)(C)2.D(II).	2	GOR	
10. 🗆	Containers clearly marked "Hazardous Waste" - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 262.34(a)(3).	2	GPT	
11. 🗆	Facility inspected and maintained (weekly) - 10 CSR 25-5.262(2)(C)2.C(I) & (II) referencing 40 CFR 265.174.	2	GPT	
12. 🗆	Daily inspection of areas subject to spills, i.e., waste handling areas - 10 CSR 25-5.262(2)(C)2.C(II).	2	GOR	
13. 🗆	Adequate aisle space is available - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.35.	2	GPT	
14. 🗆	Placards available for transporter - 10 CSR 25-5.262(1) incorporating 40 CFR 262.33.	2	GPT	
15. 🗆	Precautions are taken to prevent accidental ignition or reaction of ignitable or reactive wastes, including confining smoking and open flame to specially designated locations and conspicuously placing "No Smoking" signs by ignitable or reactive wastes- 10 CSR 25-5.262(2)(C)2.F(II).	2	GOR	
	TELLITE ACCUMULATION			COMMENTS
1. 🗆	Containers kept closed - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.173(a).	1	GPT	

C. SA	TELLITE ACCUMULATION (CONTINUED)			COMMENTS
2. 🗆	Containers in good condition - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.171.	1	GPT	
3. 🗆	Waste compatible with container - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.172.	1	GPT	
4. 🗆	Quantities accumulated not exceeding 55 gallons (1 quart of acutely-hazardous wastes) - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1).	1	GPT	
5. 🗆	Satellite containers go to storage within 3 days of filling - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(2).	1	GPT	
6. 🗆	Container marked identifying contents and beginning date - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(ii) as modified by 10 CSR 25-5.262(2)(C)3.	2	GPT	
7. 🗆	Stored in satellite areas less than 1 year - 10 CSR 25-5.262(2)(C)3.	2	GPT	
	Satellite containers stored at or near the point of waste generation and under the control of the operator - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1).	2	GPT	
D. PF	REPAREDNESS, PREVENTION AND EMERGENCY PROCEDURE	S		COMMENTS
1. 🗆	Facility operated and maintained to minimize the possibility of an emergency - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(a)(4) referencing 40 CFR 265.31.	1	GPT	
2. 🗆	Adequate and proper spill control, decontamination and safety equipment available (fire blankets, respirators, SCBA, absorbents, etc.) - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.32 as amended by 10 CSR 25-5.262(2)(C)2.G.	2	GPT	
3. 🗆	Adequate water supply and fire control equipment - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.32(c) and (d).	2	GPT	
4. 🗆	Communication and emergency equipment tested and maintained - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.33.	2	GPT	
5. 🗆	Emergency coordinator's name and phone number posted near phone - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(ii)(A).	2	GPT	
6. 🗆	Telephone number of fire department posted near phone - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(ii)(C).	2	GPT	
7. 🗆	Location of fire extinguisher and spill control equipment posted near phone - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(ii)(B).	2	GPT	
8. 🗆	Employees familiar with waste handling and emergency procedures - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(iii).	2	GPT	
9. 🗆	Device in the hazardous waste operation area capable of summoning emergency assistance - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.34(a).	2	GPT	
10. 🗆	Telephone or two-way radio on-site and capable of summoning local fire or police department, or local or state emergency response teams - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.32(b).	2	GPT	
11. 🗆	Arrangements with local emergency agencies - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.37.	2	GPT	
12. 🗆	Emergency coordinator(s) on premise or on call - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(i).	2	GPT	
	PART 2: RECORDS	INSPE	ECTIO	N
E. MA	ANIFESTS			COMMENTS
1. 🗆	Facility uses manifest system or wastes reclaimed under contractual agreement - Section 260.380.1(6) RSMo and 10 CSR 25-5.262(2)(B) or 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(e)1.	1	GMR	

MO 780-1602 (12-02) SQG PAGE 3 OF 5

E. MA	ANIFESTS (CONTINUED)			COMMENTS
2. 🗆	Tests waste or uses knowledge of waste to determine if the waste is restricted from land disposal - 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(a).	1	GLB	
3. 🗆	Generator maintains a copy of the reclamation agreement on-site for at least 3 years after expiration of agreement - 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(e)(2).	2	GMR	
4. 🗆	Manifests maintained for a 3-year period - 10 CSR 25-5.262(1) incorporating 40 CFR 262.40(a).	2	GMR	
5. 🗆	Generator's MO & EPA ID numbers - 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(a) as amended by 10 CSR 25-5.262(2)(B)1.	2	GMR	
6. 🗆	MO Manifest document ID and consecutive shipment numbers - 10 CSR 25-5.262(2)(B)2.A.	2	GMR	
7. 🗆	Generator's name, address and phone number - 10 CSR 25-5.262(2)(B)1.	2	GMR	
8. 🗆	All transporter's names, phone numbers, MO & EPA ID numbers, and license plate numbers - 10 CSR 25-5.262(2)(B)1 & 2.	2	GMR	
9. 🗆	Designated facility name, address, phone number, and MO & EPA ID numbers - 10 CSR 25-5.262(2)(B)1 & 2.	2	GMR	
10. 🗆	DOT shipping name, Hazard Class and waste ID number (RQ - if required)- 10 CSR 25-5.262(2)(B) 1 $\&$ 2.	2	GMR	
11. 🗆	Containers, quantity and specific gravity designated - 10 CSR 25-5.262(2)(B) 1 and 2.	2	GMR	
12. 🗆	Manifest signed and dated - 10 CSR 25-5.262(2)(B) 1.	2	GMR	
13. 🗆	Manifest returned within 35 days - or exception report submitted within 45 days - 10 CSR 25-5.262(2)(D)2.C.	2	GRR	
14. 🗆	"Land-Ban" notification/certification sent with manifests or with first shipment - 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(a).	2	GLB	
15. 🗆	Notification/certification includes correct EPA hazardous waste number, corresponding treatment standards, manifest number, and waste analysis data - 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(b).	2	GLB	

MO 780-1602 (12-02) SQG PAGE 4 OF 5

Chec Circle N/A = An ite An u	Not Applicable. em emphasized by a blacenemphasized item is a sign	nce and provide comment. k line on the left is a serious de	uirements (Class II Violation unl	less conditions warrant Class I)	
	MMENTS: INCLUDE D	ISCUSSION OF PACILITY	S WASTE MINIMIZATION F	TLAN	
CHE				Y AND COMMENT BELOW	
	APC Fugitive Dust Particulate Burning Asbestos Odors Toxics Other	PDW Taste & Odors Bacteria Pressure Color Flow Toxics Other	SWM Open Dumps Littering Waste Tire Dump SLF Other	HW Transportation PCBs USTs/LUSTs Other	WPC ☐ Animal Waste ☐ Bypassing ☐ Treatment Plant Operation ☐ Sawdust ☐ Sludge ☐ Single Family ☐ Ground Water ☐ Storm Water ☐ Toxics/UST ☐ Other
COM	CCTOR'S SIGNATURE				DATE

MO 780-1602 (12-02) SQG PAGE 5 OF 5



STATE OF MISSOURI DEPARTMENT OF NATURAL RESOURCES HAZARDOUS WASTE PROGRAM

S

SMALL QUANTITY GENERATOR INSPECTION CHECKLIST – USED OIL GENERATOR, RESOURCE RECOVERY, AND TANK ATTACHMENT

NAME				EPA ID NUMBER
CITY				MO ID NUMBER
HEED	OIL GENERATOR			
	d Oil Processor, Re-refiner, Marketer, Collection, Aggregation Point,	Transı	porter.	or Transfer Facility, Please Use Appropriate Checklist)
	SED OIL STORAGE		,	COMMENTS
1. 🗆	Used oil is managed properly and not disposed of into the environment or cause a public nuisance - 10 CSR 25-11.279(2)(B)4.B.	1	GOR	
2. 🗆	Containers in good condition - 10 CSR 25-11.279(1) incorporating 40 CFR 279.22(b)(1).	1	GOR	
3. 🗆	Containers storing used oil are not leaking - 10 CSR 25-11.279(1) incorporating 40 CFR 279.22(b)(2).	1	GOR	
4. 🗆	Containers/aboveground tanks are labeled or marked clearly "Used Oil" - 10 CSR 25-11.279(1) incorporating 40 CFR 279.22(c)(1).	2	GOR	
5. 🗆	Fill pipes used to transfer used oil into underground storage tanks are labeled or marked clearly "Used Oil" - 10 CSR 25-11.279(1) incorporating 40 CFR 279.22(c)(2).	2	GOR	
6. 🗆	Containers/tanks which are exposed to rainfall are closed - 10 CSR 25-11.279(2)(C)6.	2	GOR	
7. 🗆	Clean up any spills or leaks of used oil - 10 CSR 25-11.279(1) incorporating 40 CFR 279.22(d).	2	GOR	
8. 🗆	Mixtures of used oil and hazardous waste are managed according to state hazardous waste regulations - 10 CSR 25-11.279(2)(B)2.	2	GOR	
G. ON	I-SITE BURNING			COMMENTS
1. 🗆	Burn only their own used oil or used oil from DIY'ers or exempt farmers - 10 CSR 25-11.279(1) incorporating 40 CFR 279.23(a) as amended by 10 CSR 25-11.279(2)(A)1.	1	GOR	
2. 🗆	Burn only in space heaters with design capacity < .5 million BTU/hr - 10 CSR 25-11.279(1) incorporating 40 CFR 279.23(b).	1	GOR	
	Combustion gases from the heater are vented to the ambient air - 10 CSR 25-11.279(1) incorporating 40 CFR 279.23(c).	1	GOR	COMMENTS
	F-SITE SHIPMENTS TO APPROVED COLLECTION CENTERS			COMMENTS
1. 🗆	Used oil is transported by transporters who have obtained EPA identification numbers <u>unless one of the following is met</u> - 10 CSR 11.279(1) incorporating 40 CFR 279.24.		GOR	
40 CFR	3 279.24(a)			
2. 🗆	Transports used oil in a vehicle owned by the generator or owned by an employee of the generator - 10 CSR 25-11.279(1) incorporating 40 CFR 279.24(a)(1)	2	GOR	
3. 🗆	Transports no more than 55 gallons of used oil at any time - 10 CSR 25-11.279(1) incorporating 40 CFR 279.24(a)(2).	2	GOR	
	Transports the used oil to a used oil collection center that is registered, licensed, permitted, or recognized by a state/county/municipal government to manage used oil - 10 CSR 25-11.279(1) incorporating 40 CFR 279.24(a)(3).	2	GOR	
OR 40	CFR 279.24(b)			
	Transports the used oil to an aggregation point that is owned and/or operated by the same generator $$ - 10 CSR 25-11.279(1) incorporating 40 CFR 279.24(b)(3).		GOR	
OR 40	CFR 279.24(c)			
	Used oil is reclaimed under a contractual agreement (tolling arrangement) - 10 CSR 25-11.279(1) incorporating 40 CFR 279.24(c).	2	GOR	COMMENTS
	SOURCE RECOVERY			COMMENTS
	Valid RR certification for energy recovery or reclamation of hazardous waste obtained - 10 CSR 25-9.020(1)(A)3.	1	GOR	
2. 🗆	Still bottoms or RR residues disposed of properly - Section 260.380.1(7) RSMo.	1	GOR	

I. RE	SOURCE RECOVERY (CON	TINUED)				COMMENTS	
3. 🗆	Hazardous waste received from waste transporter - 10 CSR 25-		by hazardous	1	GOR		
4. 🗆	Facility is classified as U, R1, o	or R2 accurately - 10 CSR 2	25-9.020(3)(A).	2	GOR		
5. 🗆	Facility meets the operating c 9.020(3).	onditions of certification	- 10 CSR 25-	2	GOR		
6. 🗆	☐ Facility has submitted a written request and received approval from the DNR for all changes in operation including closure - 10 CSR 25-9.020(3)(E) 1 & 2.		2	GOR			
7. 🗆	Facility maintains a written operating record - 10 CSR 25-9.020(3)(E)5 referencing 40 CFR 264.73(b)(1) and (2) as modified by 10 CSR 25-7.264(2)(E)2.		2	GOR			
8. 🗆	Facility has notified EPA and quantity on-site burner exemp it burns hazardous waste on-s CFR 266.108 and 40 CFR 266.1	tion or has interim status ite - 10 CSR 25-7.266(1) in	or a permit if	2	GOR		
	Storage of hazardous waste dapplicable state hazardous was			2	GOR		
J. SC	G TANKS	CONTENTS	CADA	CITY		CONTAINMENT	405
1.	TANK DESIGNATION	CONTENTS	CAPA	CITY		CONTAINMENT	AGE
2.							
3.							
4.							
5.							
0.						COMMENTS	
1. 🗆	Uncovered tanks have 2 feet CSR 25-5.262(1) incorporating 4 265.201(b)(3).			1	GPT		
2. 🗆			1	GPT			
3. 🗆				1	GPT		
4. 🗆				1	GPT		
5. 🗆	Ignitable or reactive wastes re ignition or reaction - 10 Ct 262.34(d)(3) referencing 40 CFR	SR 25-5.262(1) incorpora		1	GPT		
6. 🗆			1	GPT			
7. 🗆	Volatiles with vapor pressure > tanks - 10 CSR 25-5.262(2)(C)2		laced in open	1	GPT		
8. 🗆			1	GPT			
9. 🗆	Tanks are clearly labeled or ma 5.262(1) incorporating 40 CF 262.34(a)(3).			2	GPT		
10. 🗆	Inspection of waste feed cut of freeboard each operating day CFR 262.34(d)(3) referencing 40	- 10 CSR 25-5.262(1) in		2	GPT		
11.	and general area for leaks, c 5.262(1) incorporating 40 CF 265.201(c)5.	corrosion or discharges FR 262.34(d)(3) reference	- 10 CSR 25- cing 40 CFR	2	GPT		
12. 🗆	Daily inspection of areas subject to spills, i.e., waste handling areas 10 CSR 25-5.262(2)(C)2.C(II) referencing 40 CFR 265.195.			2	GPT		